

ScintLogic X

Version 3.0

Date revised: 4/26/2019

Conforms to regulation (EC) no. EU 453/2010

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: ScintLogic X **Product Number:** SG-BXX-26; SG-BXX-03; SG-BXX-15

1.2 Relevant Identified Uses of the Substance/Mixture and Uses Advised Against

Investigational research by professional users.

1.3 Details of the Supplier of the Safety Data Sheet

Supplier

LabLogic Systems, Inc.
1911 N US HWY 301
Suite 140
Tampa
FL 33619
USA
E-mail: solutions@lablogic.com

1.4 Emergency Telephone Number

Tel: +1 813-626-6848

SECTION 2 – HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]

H304 – Aspiration Hazard (Category 1)

H315 – Skin Corrosion/Irritation (Category 2)

H319 – Serious Eye Damage/Eye Irritation (Category 2A)



EXPERIENCE & EXPERTISE

2.2 Label Elements

GHS LABEL ELEMENTS AND CLASSIFICATION

GHS Label Elements



WARNING

H304 – May be fatal if swallowed and enters airways.

H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

P246 – Wash skin thoroughly after handling.

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

2.3 Other Hazards

None found.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical Names/Description

Blend of scintillators in chiral phenylalkanes.

Component List

Component	% Comp.	CAS #	EC #	1278/2008 Classification
Phenyl Xylyl Ethane (PXE)	99 - 100	6196-95-8	228-249-2	H304, H315, H319

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion

DO NOT INDUCE VOMITING because of danger of aspiration into the lungs. Get medical attention immediately. Adverse effects of aspiration into the lungs may be delayed up to 48 hours.

Skin

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eyes

Immediately flush eyes with plenty of water for at least fifteen minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Inhalation

Sore throat, coughing, labored breathing, sneezing and burning sensation, depending on the concentration and duration of exposure. May cause central nervous system depression or effects. Symptoms may include headache, excitation, euphoria, dizziness, incoordination, drowsiness, light-headedness, blurred vision, fatigue, tremors, convulsions, loss of consciousness, coma, respiratory arrest and death, depending on the concentration and duration of exposure.

Ingestion

Salivation, pain, nausea, vomiting and diarrhea. Exposure may also cause central nervous system symptoms similar to those listed under Inhalation.

Skin

Drying, reddening, itching, and cracking. Repeated or prolonged contact with large amounts of this material may result in absorption through the skin to produce toxic effects.

Eyes

Redness, tearing, and blurred vision.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Unknown/not applicable.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Extinguishing media

Water spray, dry chemical, alcohol-resistant foam, or carbon dioxide.

5.2 Special Hazards Arising from the Substance/Mixture

Hazardous Combustion Products – Fires involving this product may release carbon monoxide, carbon dioxide, reactive hydrocarbons and irritating vapors.

Hazardous Decomposition Products – Combustion may produce toxic oxides of carbon, nitrogen, sulfur and reactive hydrocarbons.

Hazardous Polymerisation – Will not occur under normal conditions of use (See Sections 10.4 & 10.5).

5.3 Advice for Firefighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

5.4 Further Information

No data available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions

Wear appropriate protective equipment as specified in Section 8.

6.2 Environmental Precautions

Prevent discharge into the environment. Dike spills and stop leakage where practical. Do not allow material to enter drains.

6.3 Methods and Materials for Containment and Cleaning Up

Eliminate source of ignition. Ventilate area. Cover with absorbent material (dry sand or earth) to confine spill and sweep or shovel into container. Close container tightly. Avoid breathing vapours.

6.4 References to Other Sections

For disposal information, see Section 13. For Protective clothing and equipment, see Section 8.

SECTION 7 – HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact and inhalation. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Transfer methods should avoid static sparks. Do not eat, drink, or smoke in areas of use or storage.

7.2 Conditions for Safe Storage (including any incompatibles)

Keep in a tightly closed container, stored in a cooled, dry, ventilated area away from sources of heat or ignition. Protect from physical damage.

Incompatibles

Oxidising agents.

7.3 Specific End Uses

Investigational research by professional users.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PRECAUTIONS

8.1 Control Parameters

ACGIH Threshold Limit Value (TLV): None established

OSHA Permissible Exposure Limit (PEL): None established

8.2 Exposure Controls

Engineering Controls

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source.

Respiratory Protection

For conditions of use where exposure to the substance is apparent, consult an industrial hygienist. For emergencies, or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

Eye Protection

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Skin Protection

Wear protective gloves and clean body covering clothing.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical & Chemical Properties

a. Appearance	Clear, solution	l. Vapor Density (Air = 1)	Not determinable
b. Odor	Odorless	m. Relative Density	0.91
c. Odor Threshold	N/A	n. Water Solubility	Slightly soluble
d. pH	N/A	o. Partition Coefficient	
e. Melting/Freezing Point (°C)	0	n-octanol/water	Mixture
f. Boiling point (°C)	302-318	p. Autoignition Temperature (°C)	N/D
g. Flash Point (°C)	>93	q. Decomposition Temperature (°C)	N/A
h. Evaporation Rate	Not measureable	r. Viscosity	N/A
i. Flammability	N/A	s. Explosive Properties	Can be made to burn
j. Upper/Lower Flammability or Explosive Limits	N/D	t. Oxidising Properties	Not an oxidizer
k. Vapor Pressure	< 0.1		

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity

Material can be made to burn; combustion is generally not self-sustaining. Reacts with oxidizers.

10.2 Chemical Stability

Stable under ordinary conditions of use and storage.

10.3 Possibility of Hazardous Reactions

Will not occur under normal conditions of use (See Sections 10.4 & 10.5).

10.4 Conditions to Avoid

Heat, sources of ignition.

10.5 Incompatible Materials

Oxidizing agents.

10.6 Hazardous Decomposition Products

Combustion may produce toxic oxides of carbon, nitrogen, sulfur and reactive hydrocarbons.

SECTION 11 – TOXICOLOGICAL INFORMATION

Product LD50 Values

Oral Rat LD50 (mg/kg)

No Data

Dermal Rabbit LD50 (mg/kg)

No Data

Component Cancer List Status

	NTP Carcinogen		IARC Category
	Known	Anticipated	
Phenyl Xylyl Ethane (PXE)	No	No	None

Potential Health Effects

Inhalation

Breathing of the mists, vapours or fumes may irritate the nose, throat and lungs.

Ingestion

May cause irritation of the mouth, throat, and gastrointestinal tract.

Exposure may also cause central nervous system symptoms.

Skin

May cause skin irritation.

Eyes

Exposure to vapours, fumes or mists may cause irritation. Direct contact may cause irritation.

Carcinogenicity

Not listed by NTP or IARC as a known or possible carcinogen.

Mutagenicity

No information available.

Reproductive Toxicity

No information available.

Teratogenic Effects

No information available.

Routes of Entry

Ingestion, inhalation, skin contact.

Target Organ Statement

No information available.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity

	Vetebrates	Invertebrates	Algae	Micro-organisms
Aquatic Toxicity (ppm unless otherwise noted)	No data	No data	No data	No data

	Birds	Anthropods	Plants	Micro-organisms
Terrestrial Environment Toxicity (ppm unless otherwise noted)	No data	No data	No data	No data

12.2 Persistence and Degradability

No data

12.3 Bioaccumulative Potential

No data

12.4 Mobility in Soil

No data

12.5 Results of PBT and vPvB Assessment

No data

12.6 Other Adverse Effects

None

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Offer surplus or non-recyclable product to licensed disposal company. Disposal is subject to user compliance with applicable law and product characteristics at time of disposal. Dispose of packaging as product.

SECTION 14 – TRANSPORT INFORMATION

	ADR/RID	IATA	IMO	DOT
14.1 UN Number	N/A	Not regulated	N.A.	N/A
14.2 Shipping Name	Not regulated	Not regulated	Not regulated	Not regulated
14.3 Hazard Class	N/A	N/A	9	N/A
14.4 Packing Group	N/A	N/A	N/A	N/A
14.5 Environmental Hazards	N/A	N/A	N/A	N/A
14.6 Special Precautions	N/A	N/A	N/A	N/A

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance/Mixture

United States

TSCA Regulatory Statement

All intentional ingredients are listed on the TSCA Inventory.

SARA 311/312 Hazard Categories

Component	Fire	Pressure	Reactivity	Acute	Chronic
Phenyl Xylyl Ethane (PXE)	No	No	No	Yes	No

Europe

EEC Regulatory

All intentional ingredients are listed on the European EINECS Inventory.

SECTION 16 – OTHER INFORMATION

Revisional Updates

4/26/2019 – Updated Section 1.4

5/29/2015 – Updated Sections 2.1 and 3.2

8/6/2013 – Released Version 1.0

NFPA Codes

Health 1 Flammability 1 Reactivity 0

Dangers

Phenyl Xylyl Ethane (PXE)

H304 – May be fatal if swallowed and enters airways.

H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

MANUFACTURER DISCLAIMER: The information given herein is offered in good faith as accurate, but without guarantee. Conditions of the use and suitability of the product for particular uses are beyond our control. All risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending licence under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.

USA & Canada

LabLogic Systems, Inc.

1911 N US HWY 301, Suite 140
Tampa, FL 33619, USA

E-mail: solutions@lablogic.com

Tel: +1-813-626-6848

Fax: +1-813-620-3708

www.lablogic.com



Certificate No: 10926
ISO 9001

Europe & Worldwide

LabLogic Systems Limited

Paradigm House, 3 Melbourne Avenue
Broomhill, Sheffield, S10 2QJ, UK

E-mail: solutions@lablogic.com

Tel: +44 (0)114 266 7267

Fax: +44 (0)114 266 3944

www.lablogic.com



Certificate No: 1535
ISO 9001



EXPERIENCE & EXPERTISE