



HIDEX

# Hidex Triathler

Liquid Scintillation Counter  
and Gamma Counter

[www.lablogic.com](http://www.lablogic.com)



**LabLogic**

EXPERIENCE & EXPERTISE

Instant results  
whenever and  
wherever with  
this compact  
and portable  
counting system

The Hidex Triathler is a single sample counter which provides fast and accurate results for several life science and environmental applications. It can count all radioisotopes including tritium in a variety of sample formats.

Due to its very small size and light weight, Triathler can be taken into the field to measure samples on the spot. Although small, Triathler has many advanced features such as spectrum analysis using a multi-channel analyser (MCA), instant DPM results, single-photon luminescence counting, and optional PC control and data transfer.



Monitoring with the Triathler

Wipe Tests

Triathler provides fast and reliable results for regulatory wipe tests in lab areas.

Soil Measurements

Used in conjunction with recognised extraction techniques, Triathler can measure soil samples for contamination with any radioisotope.

Water Measurements

Triathler has alpha-beta separation capabilities which makes it ideal to detect alpha-isotopes like Radon (<sup>222</sup>Rn) in water. It is also sensitive enough to perform monitoring of <sup>3</sup>H in discharge water used at power plant sites.



Easy to use

A keypad allows single key operation for immediate results using preset protocols for any isotope.

Flexible

The Triathler is suitable for just about any beta radiation, gamma radiation or luminescence application and accepts most types of vials and sample formats.

Portable

The Triathler's small size and light weight make it ideal for personal use on a benchtop or for on-site field/sea measurements.

Sophisticated

Triathler has advanced features such as a built-in multi-channel analyser, optional alpha-beta separation electronics, and connectivity to a PC for instrument control and data export.



Basic Specifications	
Size	13" (L) x 10" (W) x 7" (H) (33 (L) x 25 (W) x 19 (H) cm)
Weight	20 lbs (9 kg)
Power	110 - 240 V AC, 12 VDC
Sample Types	LSC Vials, Microtubes, Test Tubes
Detector	Single-Photon Counting PMT
Display	2 x 16 character alpha-numeric LCD
Energy Range	2 keV - 2,000 keV
Counting Time	0.1 seconds - 99999 minutes
Output	RS-232C/USB to PC

Please refer to the Technical Specification Sheet for further information

Specifications – Liquid Scintillation Counting	
Sample Types	LSC Vials, Microtubes, Test Tubes
Maximum Count Rate	2,000,000 CPM
Beta Efficiency	Up to 45% for <sup>3</sup> H
Direct <sup>32</sup> P Efficiency	Up to 75% in PSA Tube

Specifications – Gamma Counting	
Sample Types	Tubes or Vials (up to 0.5" (13 mm) diameter)
Detector	1" x 1" (32 x 32 mm) NaI (TI) crystal (through-hole)
Background Shield	0.4" (10 mm) lead

Specifications – External Gamma Counting	
Sample Types	LSC Vials, Microtubes, Test Tubes, Marinelli Beakers*
Detector	2" x 2" (50 x 50 mm) NaI (TI) crystal (planar type)
Background Shield	1" or 2" (30 or 50 mm) lead

\*Only available with the Becquerel Finder model of Triathler

## Life Sciences applications for the Triathler

### Molecular Biology

Triathler is well suited for metabolic studies, genetic studies, cell proliferation assays, receptor-ligand assays, and other applications in biosciences. For example, using the optional plastic scintillator adapter (PSA), <sup>32</sup>P can be measured non-destructively (without cocktail).

### Marine Biology

Triathler is commonly used to measure growth of phytoplankton in seawater and lakes by measuring uptake of <sup>14</sup>C.


### Emergency Response

Triathler is well suited for in-field emergency response, e.g. detecting rapid alpha measurements such as <sup>241</sup>Am as well as <sup>137</sup>Cs and <sup>131</sup>I. The external NaI detector can accommodate up to 1 L Marinelli beakers\* to measure food, soil, and liquids (water, milk, etc.) for gamma contamination.

\* Only available with the Becquerel Finder model of Triathler.

### Research

Triathler is ideal as an easy-to-use diagnostic tool in research for detection of beta and gamma isotopes, such as <sup>125</sup>I, <sup>18</sup>F, <sup>137</sup>Cs, <sup>57</sup>Co, etc.



# Service and Support

Users of our systems can benefit from our comprehensive, fully inclusive service and support.

We can give reassurance that if things go wrong or you need expert advice, help is only an e-mail or phone call away.



## Validation Services

Our Validation Service enables you to implement and get maximum value from your investments as soon as possible.

We work as a partner with your Quality Manager, System Manager and users to provide a tailored Validation Plan, suited to your needs. Our Validation Specialists who have many years' of experience in GLP system validation, detailed knowledge of our systems, together with other industry standard systems to help you meet company and regulatory requirements.

## Training

LabLogic can provide a variety of training courses and workshops to help you get the most out of your instrument and software.


All training is performed by our expert Product and Support Specialists who have many years experience in the development and use of the instruments and software.

Certificates can be provided to complement your internal GLP training records.

Visit our website



Download the brochure



### USA & Canada

**LabLogic Systems, Inc.**  
3901 Centerview Drive, Suite B  
Chantilly, VA 20151, USA

**E-mail:** [solutions@lablogic.com](mailto:solutions@lablogic.com)

**Tel:** +1-703-429-4209

[www.lablogic.com](http://www.lablogic.com)

### Europe & Worldwide

**LabLogic Systems Limited**  
Innovation House, 6 Europa View  
Sheffield, S9 1XH, UK

**E-mail:** [solutions@lablogic.com](mailto:solutions@lablogic.com)

**Tel:** +44 (0)114 266 7267

[www.lablogic.com](http://www.lablogic.com)



**INVESTORS IN PEOPLE**  
We invest in people Gold